

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Map symbol and soil name	Pct. of map unit	Trench sanitary landfill		Area sanitary landfill		Daily cover for landfill	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Ad: Adrian, drained-----	75	Very limited Depth to saturated zone Ponding	1.00 1.00	Very limited Ponding Depth to saturated zone	1.00 1.00	Very limited Ponding Depth to saturated zone	1.00 1.00
		Seepage Too Sandy	1.00 1.00	Seepage	1.00	Too Sandy Seepage	1.00 1.00
Ah: Algansee-----	90	Very limited Flooding Depth to saturated zone Seepage	1.00 1.00 1.00	Very limited Flooding Depth to saturated zone Seepage	1.00 1.00 1.00	Very limited Too Sandy Seepage Depth to saturated zone	1.00 1.00 1.00 1.00
		Too Sandy	1.00				
Bb: Barry-----	100	Very limited Depth to saturated zone Ponding	1.00 1.00	Very limited Ponding Depth to saturated zone	1.00 1.00	Very limited Ponding Depth to saturated zone	1.00 1.00
BlA: Blount-----	90	Very limited Depth to saturated zone Too clayey	1.00 0.50	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone Too clayey	1.00 0.50
Br: Brady-----	90	Very limited Depth to saturated zone Seepage	1.00 1.00	Very limited Depth to saturated zone Seepage	1.00 1.00	Very limited Depth to saturated zone Seepage	1.00 0.52
BsA: Branch-----	90	Very limited Depth to saturated zone Seepage	1.00 1.00	Very limited Depth to saturated zone Seepage	1.00 1.00	Somewhat limited Seepage Depth to saturated zone	0.52 0.47
BtA: Brems-----	100	Very limited Depth to saturated zone Seepage Too Sandy	1.00 1.00 1.00	Very limited Depth to saturated zone Seepage	1.00 1.00	Very limited Depth to saturated zone Too Sandy Seepage	1.00 1.00 1.00

Table ENG-6.--Sanitary Facilities--Continued

Map symbol and soil name	Pct. of map unit	Trench sanitary landfill		Area sanitary landfill		Daily cover for landfill	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
ChB: Chelsea-----	100	Very limited Seepage Too Sandy	1.00 1.00	Very limited Seepage	1.00	Very limited Too Sandy Seepage	1.00 1.00
Co: Cohoctah-----	100	Very limited Flooding Depth to saturated zone	1.00 1.00	Very limited Flooding Depth to saturated zone	1.00 1.00	Very limited Depth to saturated zone Seepage	1.00 0.52

		Seepage	1.00	Seepage	1.00		
CrA:							
Crosier-----	85	Very limited Depth to saturated zone Too clayey	1.00 0.50	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone Too clayey	1.00 0.50
Ed:							
Edwards, drained---	80	Very limited Depth to saturated zone Ponding	1.00 1.00	Very limited Ponding Depth to saturated zone Seepage	1.00 1.00 1.00	Not Rated Not Rated; Sieve and Fragments > 75mm Ponding Depth to saturated zone Carbonate content	1.00 1.00 1.00
Gf:							
Gilford-----	85	Very limited Depth to saturated zone Ponding Seepage Too Sandy	1.00 1.00 1.00 1.00	Very limited Ponding Depth to saturated zone Seepage	1.00 1.00 1.00	Very limited Ponding Depth to saturated zone Too Sandy Seepage	1.00 1.00 1.00 1.00
Gh:							
Gilford-----	100	Very limited Depth to saturated zone Ponding	1.00 1.00	Very limited Ponding Depth to saturated zone Seepage	1.00 1.00 1.00	Very limited Ponding Depth to saturated zone Seepage	1.00 1.00 0.16

Table ENG-6.--Sanitary Facilities--Continued

Map symbol and soil name	Pct. of map unit	Trench sanitary landfill		Area sanitary landfill		Daily cover for landfill	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Hh:							
Histosols-----	70	Not Rated Not Rated Not Rated; pH Not Rated Not Rated; Fragments > 75mm Not Rated; Minerology class		Not Rated Not Rated Not Rated Not Rated		Not Rated Not Rated Not Rated Not Rated; Minerology class Not Rated; Sieve and Fragments > 75mm Not Rated: Unified or minerology class	
Aquolls-----	30	Not Rated Not Rated Not Rated; pH Not Rated Not Rated; Fragments > 75mm Not Rated; Minerology class		Not Rated Not Rated Not Rated Not Rated		Not Rated Not Rated Not Rated Not Rated; Minerology class Not Rated; Sieve and Fragments > 75mm Not Rated: Unified or minerology class	
Hk:							
Homer-----	90	Very limited Depth to saturated zone Seepage Too Sandy	1.00 1.00 1.00	Very limited Depth to saturated zone Seepage	1.00 1.00	Very limited Too Sandy Seepage Depth to saturated zone	1.00 1.00 1.00
Hm:							
Houghton, drained---	75	Very limited Depth to saturated zone Ponding Content of organic matter Seepage	1.00 1.00 1.00 1.00	Very limited Ponding Depth to saturated zone Seepage	1.00 1.00 1.00	Not Rated Not Rated; Sieve and Fragments > 75mm Ponding Depth to saturated zone Content of organic matter Seepage	1.00 1.00 1.00 0.16

Ho:							
Houghton, undrained-	75	Very limited		Very limited		Not Rated	
		Depth to	1.00	Ponding	1.00	Not Rated; Sieve	
		saturated zone				and Fragments >	
		Ponding	1.00	Depth to	1.00	75mm	
		Content of	1.00	saturated zone		Ponding	1.00
		organic matter		Seepage	1.00	Depth to	1.00
		Seepage	1.00			saturated zone	
						Content of	1.00
						organic matter	
						Seepage	0.16

Table ENG-6.--Sanitary Facilities--Continued

Map symbol and soil name	Pct. of map unit	Trench sanitary landfill		Area sanitary landfill		Daily cover for landfill	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
KoA:							
Kosciusko-----	55	Very limited		Very limited		Somewhat limited	
		Seepage	1.00	Seepage	1.00	Gravel content	0.01
Ormas-----	30	Very limited		Very limited		Somewhat limited	
		Seepage	1.00	Seepage	1.00	Seepage	0.52
KoB:							
Kosciusko-----	55	Very limited		Very limited		Somewhat limited	
		Seepage	1.00	Seepage	1.00	Gravel content	0.01
Ormas-----	30	Very limited		Very limited		Somewhat limited	
		Seepage	1.00	Seepage	1.00	Seepage	0.52
KoC:							
Kosciusko-----	55	Very limited		Very limited		Somewhat limited	
		Seepage	1.00	Seepage	1.00	Slope	0.04
		Slope	0.04	Slope	0.04	Gravel content	0.01
Ormas-----	30	Very limited		Very limited		Somewhat limited	
		Seepage	1.00	Seepage	1.00	Seepage	0.52
		Slope	0.04	Slope	0.04	Slope	0.04
MaA:							
Markton-----	90	Very limited		Very limited		Very limited	
		Depth to	1.00	Depth to	1.00	Too Sandy	1.00
		saturated zone		saturated zone			
		Too Sandy	1.00	Seepage	1.00	Seepage	1.00
						Depth to	1.00
						saturated zone	
MeA:							
Metea-----	100	Somewhat limited		Very limited		Somewhat limited	
		Depth to	0.68	Seepage	1.00	Depth to	0.25
		saturated zone		Depth to	0.32	saturated zone	
				saturated zone			
MeB:							
Metea-----	100	Somewhat limited		Very limited		Somewhat limited	
		Depth to	0.68	Seepage	1.00	Depth to	0.25
		saturated zone		Depth to	0.32	saturated zone	
				saturated zone			
MeC:							
Metea-----	100	Somewhat limited		Very limited		Somewhat limited	
		Depth to	0.68	Seepage	1.00	Depth to	0.25
		saturated zone		Depth to	0.32	saturated zone	
		Slope	0.04	saturated zone		Slope	0.04
				Slope	0.04		

Table ENG-6.--Sanitary Facilities--Continued

Map symbol and soil name	Pct. of map unit	Trench sanitary landfill		Area sanitary landfill		Daily cover for landfill	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
MrB2:							
Morley-----	90	Somewhat limited		Somewhat limited		Somewhat limited	
		Depth to	0.68	Depth to	0.32	Too clayey	0.50

			saturated zone Too clayey	0.50		saturated zone		Depth to saturated zone	0.25
MsC3: Morley-----	90	Very limited Depth to saturated zone Too clayey Slope	1.00 1.00 0.04		Very limited Depth to saturated zone Slope	1.00 0.04	Very limited Too clayey Depth to saturated zone Slope	1.00 0.25 0.04	
Mu: Morocco-----	85	Very limited Depth to saturated zone Seepage Too Sandy	1.00 1.00 1.00		Very limited Depth to saturated zone Seepage	1.00 1.00	Very limited Too Sandy Seepage Depth to saturated zone	1.00 1.00 1.00	
Mx: Muskego, drained----	75	Very limited Depth to saturated zone Ponding Content of organic matter	1.00 1.00 1.00		Very limited Ponding Depth to saturated zone Seepage	1.00 1.00 1.00	Very limited Ponding Depth to saturated zone	1.00 1.00	
Ne: Newton-----	100	Very limited Depth to saturated zone Ponding Seepage Too Sandy	1.00 1.00 1.00 1.00		Very limited Ponding Depth to saturated zone Seepage	1.00 1.00 1.00	Very limited Ponding Depth to saturated zone Too Sandy Seepage	1.00 1.00 1.00 1.00	
OmA: Ormas-----	90	Very limited Seepage Too Sandy	1.00 1.00		Very limited Seepage	1.00	Very limited Seepage Too Sandy	1.00 0.50	
OmB: Ormas-----	90	Very limited Seepage Too Sandy	1.00 1.00		Very limited Seepage	1.00	Very limited Seepage Too Sandy	1.00 0.50	
Pe: Pewamo-----	100	Very limited Depth to saturated zone Ponding Too clayey	1.00 1.00 1.00		Very limited Ponding Depth to saturated zone	1.00 1.00	Very limited Ponding Depth to saturated zone Too clayey	1.00 1.00 1.00	

Table ENG-6.--Sanitary Facilities--Continued

Map symbol and soil name	Pct. of map unit	Trench sanitary landfill		Area sanitary landfill		Daily cover for landfill	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Pk: Pits, Gravel-----	100	Not rated		Not rated		Not rated	
PLA: Plainfield-----	90	Very limited Seepage Too Sandy	1.00 1.00	Very limited Seepage	1.00	Very limited Too Sandy Seepage	1.00 1.00
PLB: Plainfield-----	90	Very limited Seepage Too Sandy	1.00 1.00	Very limited Seepage	1.00	Very limited Too Sandy Seepage	1.00 1.00
PLC: Plainfield-----	90	Very limited Seepage Too Sandy Slope	1.00 1.00 0.04	Very limited Seepage Slope	1.00 0.04	Very limited Too Sandy Seepage Slope	1.00 1.00 0.04
RIA: Riddles-----	100	Not limited		Not limited		Not limited	

R1B2: Riddles-----	90	Not limited		Not limited		Not limited	
RLC2: Riddles-----	90	Somewhat limited Slope	0.04	Somewhat limited Slope	0.04	Somewhat limited Slope	0.04
Se: Sebewa-----	100	Very limited Depth to saturated zone Ponding	1.00 1.00	Very limited Ponding Depth to saturated zone Seepage	1.00 1.00 1.00	Very limited Ponding Depth to saturated zone Too Sandy Seepage Gravel content	1.00 1.00 1.00 1.00 0.20
W: Water-----	100	Not rated		Not rated		Not rated	

Table ENG-6.--Sanitary Facilities--Continued

Map symbol and soil name	Pct. of map unit	Trench sanitary landfill		Area sanitary landfill		Daily cover for landfill	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Wa: Wallkill-----	100	Very limited Depth to saturated zone Ponding	1.00 1.00	Very limited Ponding Depth to saturated zone Seepage	1.00 1.00 1.00	Very limited Ponding Depth to saturated zone Content of organic matter Seepage	1.00 1.00 1.00 1.00
Wh: Washtenaw-----	100	Very limited Depth to saturated zone Ponding	1.00 1.00	Very limited Ponding Depth to saturated zone	1.00 1.00	Very limited Ponding Depth to saturated zone	1.00 1.00
WkB: Wawasee-----	90	Not limited		Not limited		Not limited	
WkC2: Wawasee-----	90	Somewhat limited Slope	0.04	Somewhat limited Slope	0.04	Somewhat limited Slope	0.04
WkD: Wawasee-----	90	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00